#9

Sheet 1 of 3

		Sheet 1 of 3		
		RECEIVE		
Applicant Joachim N	lessing, et al.	DEC 1 0 2002 FECH CENTER 1600/		
-	Group			
ling Author, Title, Dat	e, Pertinent Pages, Et	c.)		
- ·	_	methionine-		
Bagga, S. et al., "Coexpression of the maize zein and β-zein genes results in stable accumulation of -zein in endoplasmic reticulum-derived protein bodies formed by β-zein", Plant Cell, 1997, 9, 1683-1696				
Benner, M.S. et al., "Genetic analysis of methionine-rich storage proteins accumulation in maize", <i>Theoretical & Applied Genetics</i> , 1989 , 78, 761-767				
Ben-Tzvi, T.I. et al., "Lysine and threonine metabolism are subject to complex patterns of regulation in Arabidopsis", <i>Plant Mol Biol</i> , 1996 , 32, 727-734				
Chaudhuri, S. et al., "Allele-specific imprinting of dzrl, a post-transcriptional regulator of zein accumulation", Proc. Natl. Acad. Sci. USA, 1994, 91, 4867-4871				
Chaudhuri, S. et al., "RFLP mapping of the maize dzr1 locus, which regulates methionine-rich 10 kDa zein accumulation", <i>Mol Gen Genet</i> , 1995 , 246, 707-715				
Christensen, A.H. et al., "Ubiquitin promoter-based vector for high-level expression of selectable and/or screenable marker genes in monocotyledonous plants", Transgenic Research, 1996, 5, 213-218				
Chien, C. et al., "A novel RNA-binding motif in influenza A virus non-structural proetin", <i>Nature Struct. Biol.</i> , 1997 , 4, 891-895				
Chu, C.C. et al., "Establishment of an efficient medium for another culture of rice through comparative experiments on the nitrogen sources", Sci. Sinica, 1975, 18,659-668				
Chung, E. et al., "The lysine and sulfur amino acid requirements of two stages of growth in chicks", <i>J. Nutr.</i> , 1973 , 103, 117-122				
Coleman, C.E. et al., "The maize y-zein sequestors of α-zein and stabilizes its accumulation in protein bodies of tansgenic tobacco endosperm", <i>Plant Cell</i> , 1996 , 8, 2335-2345				
DATE CO	NSIDERED 1/8/0	23		
	RUBC-004 Applicant Joachim N Filing Date August 25 Ing Author, Title, Date I., "Isolatin and sequence maize", Gene, 1988, 71 ession of the maize zein endoplasmic reticulum-on production of the maize desire analysis of methion Theoretical & Applied Common of the maize ein and threonine metal Arabidopsis", Plant Mol ele-specific imprinting of ation", Proc. Natl. Acad Ele-specific imprinting of ation", Plant Mol Ele-specific imprintin	Applicant Joachim Messing, et al. Filing Date August 25, 1999 Rot Yet Ass ling Author, Title, Date, Pertinent Pages, Etc. I., "Isolatin and sequence of a gene encoding a maize", Gene, 1988, 71, 359-370 ression of the maize zein and β-zein genes result endoplasmic reticulum-derived protein bodies of the series analysis of methionine-rich storage protein Theoretical & Applied Genetics, 1989, 78, 761-rich and threonine metabolism are subject to contrabidopsis", Plant Mol Biol, 1996, 32, 727-73 rele-specific imprinting of dzrl, a post-transcript action", Proc. Natl. Acad. Sci. USA, 1994, 91, 40. P mapping of the maize dzr1 locus, which region accumulation", Mol Gen Genet, 1995, 246, 100-100 Uldiquitin promoter-based vector for high-leve mable marker genes in monocotyledonous plant 196, 5, 213-218 RNA-binding motif in influenza A virus non-second, 1997, 4, 891-895 RNA-binding motif in influenza A virus non-second, 1997, 4, 891-895 The second and sulfur amino acid requirements of two feet, 1973, 103, 117-122 The maize y-zein sequestors of α-zein and stabilizer maize y-zein sequestors of α-zein and stabilizer maize y-zein sequestors of α-zein and stabilizer.		

Cited by Applicant (Use several sheets if necessary) U.S. Department of Commerce Patent and Trademark Office OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) AL Cruz-Alvarez, M. et al., "Post-transcriptional regulation of methionine content in maize kernels", Mol. Gen. Genet. 1991, 225, 331-339 AM Das, O.P. et al., "Molecular methods for genetic analysis of maize", 1990, Methodolecular and Cellular Biology, 213-222 AN Gordon-Kamm, W.G. et al., "Transformation of maize cells and regeneration of it transgenic plants", The Plant Cell, 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding doma the influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control of the polyhydroxybutyrate biosynthetic pathway to the pathway to the polyhydroxybutyrate biosynthetic pathway to the polyhydroxybutyrate biosynthetic pathway to the pathway to the polyhydroxybutyrate biosynthetic pathway to the pathway to the polyhydroxybutyrate biosynthetic pathway to the pathway to the pathway to the polyhydroxybutyrate biosynthetic pathway to the pathway	1 0 20			
U.S. Department of Commerce Patent and Trademark Office OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) AL Cruz-Alvarez, M. et al., "Post-transcriptional regulation of methionine content in maize kernels", Mol. Gen. Genet. 1991, 225, 331-339 AM Das, O.P. et al., "Molecular methods for genetic analysis of maize", 1990, Methom Molecular and Cellular Biology, 213-222 AN Gordon-Kamm, W.G. et al., "Transformation of maize cells and regeneration of a transgenic plants", The Plant Cell, 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding doma the influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, In Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	MILL			
AL Cruz-Alvarez, M. et al., "Post-transcriptional regulation of methionine content in maize kernels", Mol. Gen. Genet. 1991, 225, 331-339 AM Das, O.P. et al., "Molecular methods for genetic analysis of maize", 1990, Methodology. 213-222 AN Gordon-Kamm, W.G. et al., "Transformation of maize cells and regeneration of it transgenic plants", The Plant Cell. 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding doma the influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control Trends Biotechnol, 1983, 1(2), 54-59 AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19				
MW maize kernels", Mol. Gen. Genet. 1991, 225, 331-339 AM Das, O.P. et al., "Molecular methods for genetic analysis of maize", 1990, Methodology, 213-222 AN Gordon-Kamm, W.G. et al., "Transformation of maize cells and regeneration of fitransgenic plants", The Plant Cell, 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding domathe influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control Trends Biotechnol, 1983, 1(2), 54-59 AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19				
AN Gordon-Kamm, W.G. et al., "Transformation of maize cells and regeneration of fitransgenic plants", The Plant Cell, 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding doma the influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control Trends Biotechnol, 1983, 1(2), 54-59 AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	scriptional regulation of methionine content in			
transgenic plants", The Plant Cell, 1990, 2, 603-618 AO Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding doma the influenza virus NS1 protein", Nature Struct. Bio., 1997, 4, 896-899 AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control Trends Biotechnol, 1983, 1(2), 54-59 AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	iods in			
AP Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J. Biotechnol, 1991, 21, 229-238 AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control Trends Biotechnol, 1983, 1(2), 54-59 AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	fertile			
AQ Messing, J. "The manipulation of zein genes to improve the nutritional value of control of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes as protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	Liu, J. et al., "Crystal structure of the unique multifunctional RNA-binding domain of the influenza virus NS1 protein", <i>Nature Struct. Bio.</i> , 1997 , 4, 896-899			
AR Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	Messing, J. et al., "Maternal effect on high methionine levels in hybrid corn", J.			
plastids of Arabidopsis thaliana results in high levels of polymer accumulation, F. Natl. Acad. Sci. USA, 1994, 91, 12760-12764 AS Pietrzak, et al., "Expression in plants of two bacterial antibiotic resistance genes a protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	corn",			
protoplast transformation with a new plant expression vector, Nucl. Acids Res, 19	Nawrath, C. et al., "Targeting of the polyhydroxybutyrate biosynthetic pathway to the plastids of <i>Arabidopsis thaliana</i> results in high levels of polymer accumulation, <i>Proc. Natl. Acad. Sci. USA</i> , 1994 , 91, 12760-12764			
<u></u>				
AT Phillips, R.L. et al., "Elevated protein-bound methionine in seeds of a maize line resistant to lysine plus threonine", Cereal Chem, 1985, 62, 213-218				

<u> </u>		<u>/</u>		Sneet 3 of 3	
ATENT & TE	Før m	PTO-1449 Modified	Docket No. RUBC-0046	Serial No. 09/763,329 RECEIVE	
List of Patent and Publications Cited by Applicant (Use several sheets if necessary)			Applicant Joachim Messing, e	DEC 1 0 2002 t al. TECH CENTER 1600/	
U.S. Department of Commerce Patent and Trademark Office		Filing Date August 25, 1999	Group Not Yet Assigned		
	OTHE	ER DOCUMENTS (Including Autho	r, Title, Date, Pertine	nt Pages, Etc.)	
M	AV	Schickler, H. et al., "Repression of the line Mo17", The Plant Journal, 1993	•	n gene in the maize inbred	
	AW	1	the high-methionine trait in wld and exotic ion during early cultivation of maize", <i>Plant J.</i> ,		
	AX	Ueda, T. et al., "Manipulation of ami Engineering, 1993, 15, 109-130	nino acid balance in maize seeds", Genetic		
	AY	Ueda, T. et al., "Mutation of the 22- by the opaque-2 protein", The Plant	-		
	AZ	Ueda, T. Et al., "Identification of a transcriptional activator-binding element in the 27-kilodalton zein promoter, the-300 element", <i>Mol Cell. Biol.</i> , 1994 , 14, 4350-4359			
fm	BA	Wu, L.et al., "3 end processing of the maize 27kDA zein mRNA", The Plant Journal, 1993, 4, 535-544			
		A A MA			
EXAMINE	SR /	h/ DTV //	DATE CONSIDER	ED <i>1/8/0</i> 3	